PARKERS
PHARMA LIMITED

Your Partner in Pest Control

PEST CONTROL PRODUCTS FOR PUBLIC HEALTH



www.parkers-pharma.com

Life's Best...

Defense Against Pests



ACETAMAX 0.5 EC

ACTIVE INGREDIENTS: Acetamiprid 0.5%EC

TARGET PEST: Designed for use against crawling and flying insects such as; flies, moths, beetles, fleas, bed bugs, cockroaches, crickets, silverfish, booklice, mites, ants, mosquitos, wasps and centipedes.

USE: One of the most popular emulsifiable concentrate insecticides which contain the active ingre- dient acetamiprid.

WHERE TO USE: Domestic Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, Cattle stables, Municipal buildings, Warehouses

and Raw material stores.

MODE OF APPLICATION: Can be used as a surface spray, crack and crevice spray, for cold or hot fogging, and targeted applications.

SAFETY EQUIPMENT:





Packing: 500ml | 1 | 5 | 10 | 20 **Liter**

THIAM 21.6 SC

ACTIVE INGREDIENTS: Thiamethoxam 21.6% SC

TARGET PEST: Flying and crawling insects including: Bed bugs, fleas, cockroaches, beetles, flies, mosquitoes, moths and wasps.

USE: A suspension concentrate professional insecticide of the neonicotinoid class. It has a broad spectrum of activity against many insects.

WHERE TO USE: Domestic Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, cattle stables, Municipal buildings, Refuse tips , Warehouses and Raw material stores.

MODE OF APPLICATION: Can be used as a surface spray, crack and crevice spray, for cold or hot fogging, and targeted applications.



SAFETY EQUIPMENT:

Packing: 500ml | 1 | 5 | 10 | 20 **Liter**

PARKERS PHARMA LIMITED

THIAM 0.5 EC

ACTIVE INGREDIENTS: Thiamethoxam 0.5% EC

TARGET PEST: Flying and crawling insects including: Bed bugs, fleas, cockroaches, beetles, flies, mosquitoes, moths and wasps.

USE: A Emulsifiable concentrate professional insecticide of the neonicotinoid class. It has a broad spectrum of activity against many insects .

WHERE TO USE: Domestic Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, cattle stables, Municipal buildings, Refuse tips, Warehouses and Raw material stores.

MODE OF APPLICATION: Can be used as a surface spray, crack and crevice spray, for cold or hot fogging, and targeted applications.



SAFETY EQUIPMENT:

Packing: 500ml | 1 | 5 | 10 | 20 **Liter**

SPINOMAX 12 EC

ACTIVE INGREDIENTS: Spinosad 12% EC

TARGET PEST: For use against crawling and flying insects such as; flies, moths, beetles, fleas, bed bugs, cockroaches, crickets, silverfish, booklice, mites, ants, mosquitos, wasps and centipedes.

USE: Spinomax is a fast-acting and long-lasting solution for the control of various insects in a range of indoor and outdoor areas. Spinomax is environmentally friendly, so it fits very well into IPM programs. Spinomax is very active and rainfast quickly after spraying, demonstrates good stability to UV radiation and provides a long residual effect.

WHERE TO USE: Domestic Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, cattle stables, Municipal buildings, Refuse tips, Warehouses and Raw material stores.

MODE OF APPLICATION: Can be used as a surface spray, crack and crevice spray, for cold or hot fogging, and targeted applications.

SAFETY EQUIPMENT:



Packing: 500ml | 1 | 5 | 10 | 20 **Liter**

CYFLUMAX 5 EC

ACTIVE INGREDIENTS: Cyfluthrin 5% EC

TARGET PEST: For use against crawling and flying insects such as; flies, moths, beetles, fleas, bed bugs, cockroaches, crickets, silverfish, booklice, mites, ants, mosquitos, wasps and centipedes.

USE: Designed by Pest Controllers for Pest Controllers. CyfluMax gives pest controllers the power to control a broad spectrum of pests on any surface. The new technology means that the bioavailability of the active substance is vastly increased. This technology has been combined with the active substance Cyfluthrin which has been a proven tool in a pest managers toolbox.

WHERE TO USE: Domestic Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, Cattle stables, Municipal buildings, Refuse tips, Warehouses and Raw material stores.

MODE OF APPLICATION: Can be used as a surface spray, crack and crevice spray, for cold or hot fogging, and targeted applications.

SAFETY EQUIPMENT:





Packing: 500ml | 1 | 5 | 10 | 20 **Liter**

CYFLUMAX 5 EW

ACTIVE INGREDIENTS: Cyfluthrin 5% EW

TARGET PEST: For use against crawling and flying insects such as flies, moths, beetles, fleas, bed bugs, cockroaches, crickets, silverfish, booklice, mites, ants, mosquitos, wasps and centipedes. **USE:** A residual broad-spectrum spray for control of a wide range of insect pests. It will give you the upper hand in the treatment of target pests with every application.

WHERE TO USE: Domestic Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, Cattle stables, Municipal buildings, Refuse tips, Warehouses and Raw material stores.

MODE OF APPLICATION: Can be used as a surface spray, crack and crevice spray, for cold or hot fogging, and targeted applications.

SAFETY EQUIPMENT:



Packing: 500ml | 1 | 5 | 10 | 20 **Liter**

DELTA SUPER 2.5 EC

ACTIVE INGREDIENTS: Deltamethrin2.5%EC

TARGET PEST: For use against crawling and flying insects such as; flies, moths, beetles, fleas, bed bugs, cockroaches, crickets, silverfish, booklice, mites, ants, mosquitos, wasps and centipedes. **USE:** Deltamethrin is the world's most effective synthetic pyrethroid insecticide for use in public health, being photo stable. It is a professional insecticide which acts by contact and ingestion and exhibiting a broad-spectrum control of flying and crawling insects.

WHERE TO USE: Domestic Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, Cattle stables, Municipal buildings, Refuse tips, Warehouses and Raw material stores.

MODE OF APPLICATION: Can be used as a surface spray, crack, and crevice spray, for cold or hot fogging, and targeted applications.

SAFETY EQUIPMENT:



Packing: 500ml | 1 | 5 | 10 | 20 **Liter**

DELTA PARK SC

ACTIVE INGREDIENTS: (Deltamethrin 2.5% + Tetramethrin 2.5%) SC

TARGET PEST: For use against flying insects such as flies, mosquitoes and other small flying insects Can also be used against crawling insects such as ants, bedbugs, cockroaches, fleas.

USE: Is an insecticide for public health use that kills insects by contact, ingestion and fumigation. It works for public health insects as well as storage insects.

WHERE TO USE: Domestic Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, Cattle stables, Municipal buildings, Refuse tips, Warehouses and Raw material stores.

MODE OF APPLICATION: Can be used as a surface spray, crack and crevice spray, for cold or hot fogging, and targeted applications.

SAFETY EQUIPMENT:





Packing: 500ml | 1 | 5 | 10 | 20 **Liter**

ADLELX 20 EC

ACTIVE INGREDIENTS: GERANIOL 20% EC


TARGET PEST: To control wide range of insect pests such as ants, spiders, fleas, cockroaches, flies, mosquitos, pantry pests, and plenty of other labeled insects.

USE: Geraniol is a safe and effective, natural origin, insecticide. It is effective against a broad range of insects. It can be easily applied to skin without irritation can be sprayed indoors and outdoors, won't damage clothing, fabrics or plastics Pleasant, non-chemical odor Chemically stable Non-toxic to humans and animals Environmentally safe from manufacture through application. It has adequate duration of efficacy.

WHERE TO USE: Domestic Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, Cattle stables, Municipal buildings, Refuse tips, Warehouses and Raw material stores.

MODE OF APPLICATION: Can be used as a surface spray, crack and crevice spray, for cold or hot fogging, and targeted applications.

SAFETY EQUIPMENT:



Packing: 500ml | 1 | 5 | 10 | 20 **Liter**

IMIPROMAX 10 EC

ACTIVE INGREDIENTS: Imiprothrin %10 EC

TARGET PEST: Effective to control wide range of insect pests such as ants, spiders, fleas, cockroaches, flies, mosquitos, pantry pests, and plenty of other labeled insects.

USE: A high effective professional pyrethroid insecticide. It has a quick knockdown effect, suitable for flying and crawling insect control.

WHERE TO USE: Domestic Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, Cattle stables, Municipal buildings, Refuse tips, Warehouses and Raw material stores.

MODE OF APPLICATION: Can be used as a surface spray, crack and crevice spray, for cold or hot fogging, and targeted applications.

SAFETY EQUIPMENT:



Packing: 500ml | 1 | 5 | 10 | 20 **Liter**

PRALLMAX 1 EC

ACTIVE INGREDIENTS: Prallethrin1.00%EC

TARGET PEST: For use against flying insects such as flies, mosquitoes and other small flying insects can also be used against crawling insects such as ants, bedbugs, cockroaches, fleas.

USE: PRALLMAX a pyrethroid insecticide which is generally used for the control of mosquitoes in the household. It is specially formulated for the rapid control and quick knockdown of nuisance flying insects. It can also be used for crawling insects.

WHERE TO USE: Domestic Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, Cattle stables, Municipal buildings, Refuse tips, Warehouses and Raw material stores.

MODE OF APPLICATION: Can be used as a surface spray, crack and crevice spray, for cold or hot fogging, and targeted applications.

SAFETY EQUIPMENT:





Packing: 500ml | 1 | 5 | 10 | 20 **Liter**

D-PHENOSUPER 10 EC

ACTIVE INGREDIENTS: D-Phenothrin 10% EC

TARGET PEST: For use against flying insects such as flies, mosquitoes and other small flying insects can also be used against crawling insects such as ants, bedbugs, cockroaches, fleas.

USE: Is an Emulsifiable concentrate insecticide and will control insects present at the time of treatment by direct contact action (space treatment). D-Phenothrin exhibits low mammalian toxicity, minimising opportunity for operator contamination.

WHERE TO USE: Domestic Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, Cattle stables, Municipal buildings, Refuse tips, Warehouses and Raw material stores.

MODE OF APPLICATION: Can be used as a surface spray, crack and crevice spray, for cold or hot fogging, and targeted applications.

SAFETY EQUIPMENT:



Packing: 500ml | 1 | 5 | 10 | 20 **Liter**

SIANID 10 SC

ACTIVE INGREDIENTS: Clothianidin 10% SC

TARGET PEST: For use against flying insects such as flies, mosquitoes and other small flying insects can also be used against crawling insects such as ants, bedbugs, cockroaches, fleas.

USE: Clothianidin is a neonicotinoid. Insecticide for fogging, ULV application, misting or surface treatment.

WHERE TO USE: Domestic Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, Cattle stables, Municipal buildings, Refuse tips, Warehouses and Raw material stores.

MODE OF APPLICATION: Can be used as a surface spray, crack, and crevice spray, for cold or hot fogging, and targeted applications.

SAFETY EQUIPMENT:



Packing: 500ml | 1 | 5 | 10 | 20 **Liter**

SIANID 10 EC

ACTIVE INGREDIENTS: Clothianidin 10% EC

TARGET PEST: For use against flying insects such as flies, mosquitoes and other small flying insects can also be used against crawling insects such as ants, bedbugs, cockroaches, fleas.

USE: Clothianidin is a neonicotinoid. Insecticide for fogging, ULV application, misting or surface treatment.

WHERE TO USE: Domestic Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, Cattle stables, Municipal buildings, Refuse tips, Warehouses and Raw material stores.

MODE OF APPLICATION: Can be used as a surface spray, crack and crevice spray, for cold or hot fogging, and targeted applications.

SAFETY EQUIPMENT:



Packing: 500ml | 1 | 5 | 10 | 20 **Liter**

D-TETRASUPER 10 EC

ACTIVE INGREDIENTS: D-Tetramethrin 10% EC

TARGET PEST: For use against flying insects such as flies, mosquitoes and other small flying insects Can also be used against crawling insects such as ants, bedbugs, cockroaches, fleas.

USE: D-Tetramethrin is a potent synthetic insecticide in the pyrethroid family. It has a superior knockdown effect, pests will be eliminated in minutes following contact.

WHERE TO USE: Domestic Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, Cattle stables, Municipal buildings, Refuse tips, Warehouses and Raw material stores.

MODE OF APPLICATION: Can be used as a surface spray, crack and crevice spray, for cold or hot fogging, and targeted applications.

SAFETY EQUIPMENT:



Packing: 500ml | 1 | 5 | 10 | 20 **Liter**

TETRASUPER 10 EC

ACTIVE INGREDIENTS: Tetramethrin10% EC

TARGET PEST: For use against flying insects such as flies, mosquitoes and other small flying insects Can also be used against crawling insects such as ants, bedbugs, cockroaches, fleas.

USE: Tetramethrin is a potent synthetic insecticide in the pyrethroid family. It has a superior knockdown effect, pests will be eliminated in minutes following contact.

WHERE TO USE: Domestic Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, Cattle stables, Municipal buildings, Refuse tips, Warehouses and Raw material stores.

MODE OF APPLICATION: Can be used as a surface spray, crack and crevice spray, for cold or hot fogging, and targeted applications.

SAFETY EQUIPMENT:



Packing: 500ml | 1 | 5 | 10 | 20 **Liter**

FIPROSUPER 2.5 EC

ACTIVE INGREDIENTS: Fipronil 2.5% EC

TARGET PEST: For use against flying insects such as flies, mosquitoes and other small flying insects Can also be used against crawling insects such as ants, bedbugs, cockroaches, fleas, termites.

USE: Fiprosuper is highly active insecticide which will effectively flush flying and crawling insects out of their hiding places and kill through direct contact. It is the best termite control solution that provides protection to building structures with a combination of colony management effects. It is a non-repellent termiticide that prevents and controls termite infestations in and around building spaces with a lethal treatment zone for subterranean termites.

WHERE TO USE: Domestic Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, Cattle stables, Municipal buildings, Refuse tips, Warehouses and Raw material stores.

MODE OF APPLICATION: Can be used as a surface spray, crack and crevice spray, for cold or hot fogging, and targeted applications.

SAFETY EQUIPMENT:





Packing: 500ml | 1 | 5 | 10 | 20 **Liter**

COBRA 20 EC

ACTIVE INGREDIENTS: Methoprene20% EC

TARGET PEST: Mosquitoes and FlyLarvae.

USE: Cobra® Liquid Larvicide Concentrate (COBRA®20% EC.) is the result of extensive research into the intricacies of natural biochemical and physiological development of insects. New chemical technology and biological findings were combined to develop a unique mosquito larvicide. COBRA®20% EC., an insect growth regulator (IGR), acts by inducing morphological changes which interfere with normal development. These effects, result in the failure of adult mosquitoes to emerge from pupae. COBRA®20% EC. is not a conventional pesticide. It does not produce the nondiscriminatory rapid, directly toxic effects that are associated with traditional larvicides. COBRA®20% EC. differs from other larvicides you may have used only in the manner and time course of its action after application.

WHERE TO USE: Domestic Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establish- ments, Poultry farms, Cattle stables, Municipal buildings, Refuse tips, Warehouses and Raw material stores.

MODE OF APPLICATION: Aerial: Apply COBRA®20% EC. by aircraft to terrestrial locations where mosquito breeding occurs. Use the amount of COBRA®20% EC. listed below in sufficient water to give complete coverage. 55 to 73 ml/ hectare in water is usually satisfactory. Do not apply when weather conditions favor drift from areas MixCOBRA®20% EC. in the appropriate volume of water to give the rate per hectare shown below treated.Ground: Determine the average spray volume used per hectare by individual operators and/or specific equipment.

SAFETY EQUIPMENT:



Packing: 500ml | 1 | 5 | 10 | 20 **Liter**

SILICACIDE

ACTIVE INGREDIENTS: Polydimethylsiloxane 89%

TARGET PEST: Mosquito Larvae

USE: Silicacide is a liquid silicone very effective for controlling mosquito larvae and pupa in water.

It spreads rapidly across the surface of standing water – even large water bodies – and forms a very thin film.

WHERE TO USE: Small Areas Of Standing Water This includes water drums, puddles, gutters, pit latrines, blocked drains, construction sites and other standing water around the village or in urban environment.

MODE OF APPLICATION: The recommended application rate for Silicacide is 1 ml per square metre of water surface (10 litres per hectare). Trials have shown that it is effective on the surface for 4 weeks, except in the most extreme conditions. For almost all situations. Silicacide can be simply trickled on to the water and it will spread across the surface.

SAFETY EQUIPMENT:





Packing: 500ml | 1 | 5 | 10 | 20 **Liter**

ALPHA SUPER SC

ACTIVE INGREDIENTS: Alphacypermethrin (pyrethroid) 60 g/l (6%) Tetramethrin 30 g/l (3%)

TARGET PEST: For use against flying insects such as flies, mosquitoes and other small flying insects Can also be used against crawling insects such as ants, bedbugs, cockroaches, fleas.

USE: Is an insecticide for public health use that kills insects by contact, ingestion and fumigation.

It works for public health insects as well as storage insects.

WHERE TO USE: Domestic Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, Cattle stables, Municipal buildings, Refuse tips, Warehouses and Raw material stores.

MODE OF APPLICATION: Can be used as a surface spray, crack and crevice spray, for cold or hot fogging, and targeted applications.

SAFETY EQUIPMENT:



Packing: 500ml | 1 | 5 | 10 | 20 **Liter**

PRIMACIDE 50 EC

ACTIVE INGREDIENTS: PirimiphosMethyl50% EC

TARGET PEST: For use against flying insects such as flies, mosquitoes and other small flying insects Can also be used against crawling insects such as ants, bedbugs, cockroaches, fleas.

USE: Primacide Is an insecticide for public health use that kills insects by contact, ingestion and fumigation. It works for public health insects as well as storage insects.

WHERE TO USE: Domestic Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, Cattle stables, Municipal buildings, Refuse tips, Warehouses and Raw material stores.

MODE OF APPLICATION: Can be used as a surface spray, crack and crevice spray, for cold or hot fogging, and targeted applications.

SAFETY EQUIPMENT:



Packing: 500ml | 1 | 5 | 10 | 20 **Liter**

PRIMACIDE 55 EC

ACTIVE INGREDIENTS: PirimiphosMethyl 55% EC

TARGET PEST: For use against flying insects such as flies, mosquitoes and other small flying insects Can also be used against crawling insects such as ants, bedbugs, cockroaches, fleas.

USE: Is an insecticide for public health use that kills insects by contact, ingestion and fumigation. It works for public health insects as well as storage insects.

WHERE TO USE: Domestic Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, Cattle stables, Municipal buildings, Refuse tips, Warehouses and Raw material stores.

MODE OF APPLICATION: Can be used as a surface spray, crack and crevice spray, for cold or hot fogging, and targeted applications.

SAFETY EQUIPMENT:



Packing: 500ml | 1 | 5 | 10 | 20 **Liter**

PRIMACIDE 55 EW

ACTIVE INGREDIENTS: PirimiphosMethyl55% EW

TARGET PEST: For use against flying insects such as flies, mosquitoes and other small flying insects Can also be used against crawling insects such as ants, bedbugs, cockroaches, fleas.

USE: Is an insecticide for public health use that kills insects by contact, ingestion and fumigation. **WHERE TO USE:** Domestic Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, Cattle stables, Municipal buildings, Refuse tips, Warehouses and Raw material stores.

MODE OF APPLICATION: Can be used as a surface spray, crack and crevice spray, for cold or hot fogging, and targeted applications.

SAFETY EQUIPMENT:





Packing: 500ml | 1 | 5 | 10 | 20 **Liter**

COMMAND 2.5 EW

ACTIVE INGREDIENTS: Lambda-Cyhalothrin2.5% EW

TARGET PEST: It can control of more than 30 pests, including mosquitoes, ticks, fleas, ants and cockroaches.

USE: insecticide with iDAP technology is an advanced generation, proven product with a unique and proprietary EW formulation that offers outstanding residual control of a broad range of crawling and flying insects.

WHERE TO USE: Domestic Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, Cattle stables, Municipal buildings, Refuse tips, Warehouses and Raw material stores.

MODE OF APPLICATION: Can be used as a surface spray, crack, and crevice spray, for cold or hot fogging, and targeted applications.

SAFETY EQUIPMENT:





Packing: 500ml | 1 | 5 | 10 | 20 **Liter**

COMMAND 10 CS

ACTIVE INGREDIENTS: Lambda Cyhalothrin 10% CS

TARGET PEST: For use against flying insects such as flies, mosquitoes and other small flying insects Can also be used against crawling insects such as ants, bedbugs, cockroaches, fleas.

USE: An insecticide for public health use that kills insects by contact, ingestion and fumigation. It works for public health insects as well as storage insects.

WHERE TO USE: Domestic Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, Cattle stables, Municipal buildings, Refuse tips, Warehouses and Raw material stores.

MODE OF APPLICATION: Can be used as a surface spray, crack and crevice spray, for cold or hot fogging, and targeted applications.

SAFETY EQUIPMENT:



Packing: 500ml | 1 | 5 | 10 | 20 **Liter**

COMMAND 2.5 MC

ACTIVE INGREDIENTS: Lambda Cyhalothrin 2.5% MC

TARGET PEST: For use against flying insects such as flies, mosquitoes and other small flying insects Can also be used against crawling insects such as ants, bedbugs, cockroaches, fleas.

USE: Is an insecticide for public health use that kills insects by contact, ingestion and fumigation. It works for public health insects as well as storage insects.

WHERE TO USE: Domestic Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, Cattle stables, Municipal buildings, Refuse tips, Warehouses and Raw material stores.

MODE OF APPLICATION: Can be used as a surface spray, crack and crevice spray, for cold or hot fogging, and targeted applications.

SAFETY EQUIPMENT:



Packing: 500ml | 1 | 5 | 10 | 20 **Liter**

COMMAND 10 MC

ACTIVE INGREDIENTS: Lambda Cyhalothrin 10% MC

TARGET PEST: For use against flying insects such as flies, mosquitoes and other small flying insects Can also be used against crawling insects such as ants, bedbugs, cockroaches, fleas.

USE: Is an insecticide for public health use that kills insects by contact, ingestion and fumigation. It works for public health insects as well as storage insects.

WHERE TO USE: Domestic Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, Cattle stables, Municipal buildings, Refuse tips, Warehouses and Raw material stores.

MODE OF APPLICATION: Can be used as a surface spray, crack and crevice spray, for cold or hot fogging, and targeted applications.

SAFETY EQUIPMENT:





Packing: 500ml | 1 | 5 | 10 | 20 **Liter**

PARKERS PHARMA LIMITED

CYPER-M-FOX MC

ACTIVE INGREDIENTS: Cypermethrin 10% + Tetramethrin 2% MC

TARGET PEST: For use against flying insects such as flies, mosquitoes and other small flying insects Can also be used against crawling insects such as ants, bedbugs, cockroaches, fleas.

USE: Is an insecticide for public health use that kills insects by contact, ingestion and fumigation. It works for public health insects as well as storage insects.

WHERE TO USE: Domestic Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, Cattle stables, Municipal buildings, Refuse tips, Warehouses and Raw material stores.

MODE OF APPLICATION: Can be used as a surface spray, crack and crevice spray, for cold or hot fogging, and targeted applications.

SAFETY EQUIPMENT:



Packing: 500ml | 1 | 5 | 10 | 20 **Liter**

CYPHENOSUPER 10 MC

ACTIVE INGREDIENTS: Cyphenothrin 10%

TARGET PEST: For use against flying insects such as flies, mosquitoes and other small flying insects Can also be used against crawling insects such as ants, bedbugs, cockroaches, fleas.

USE: Is an insecticide for public health use that kills insects by contact, ingestion and fumigation. It works for public health insects as well as storage insects.

WHERE TO USE: Domestic Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, Cattle stables, Municipal buildings, Refuse tips, Warehouses and Raw material stores.

MODE OF APPLICATION: Can be used as a surface spray, crack and crevice spray, for cold or hot fogging, and targeted applications.

SAFETY EQUIPMENT:





Packing: 500ml | 1 | 5 | 10 | 20 **Liter**

CYPHENOSUPER 10 EC

ACTIVE INGREDIENTS: Cyphenothrin 10% EC

TARGET PEST: For use against flying insects such as flies, mosquitoes and other small flying insects Can also be used against crawling insects such as ants, bedbugs, cockroaches, fleas.

USE: Is an insecticide for public health use that kills insects by contact, ingestion, and fumigation. It works for public health insects as well as storage insects.

WHERE TO USE: Domestic Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, Cattle stables, Municipal buildings, Refuse tips, Warehouses and Raw material stores.

MODE OF APPLICATION: Can be used as a surface spray, crack, and crevice spray, for cold or hot fogging, and targeted applications.

SAFETY EQUIPMENT:



Packing: 500ml | 1 | 5 | 10 | 20 **Liter**

CYPHENOSUPER 5 MC

ACTIVE INGREDIENTS: Cyphenothrin 5%MC

TARGET PEST: For use against flying insects such as flies, mosquitoes and other small flying insects Can also be used against crawling insects such as ants, bedbugs, cockroaches, fleas.

USE: Is an insecticide for public health use that kills insects by contact, ingestion, and fumigation. It works for public health insects as well as storage insects.

WHERE TO USE: Domestic Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, Cattle stables, Municipal buildings, Refuse tips, Warehouses and Raw material stores.

MODE OF APPLICATION: Can be used as a surface spray, crack, and crevice spray, for cold or hot fogging, and targeted applications.

SAFETY EQUIPMENT:





Packing: 500ml | 1 | 5 | 10 | 20 **Liter**

CHRYSANTHEM 5.5 EC

ACTIVE INGREDIENTS: NATURAL PYRETHRUM:5.5% (w/v) - Geraniol: 0.0001% (w/v)

TARGET PEST: CHRYSANTHEM 5.5 EC: is an insecticide for public health use that kills insects by contact, ingestion and fumigation. It works for public health insects as well as storage insects. CHRYSANTHEM 5.5 EC: It can control of more than 30 pests, including mosquitoes, ticks, fleas, ants, and cockroaches.

WHERE TO USE: Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, Dairies and Livestock, Municipal buildings, Refuse tips, Warehouses and Raw material stores.

Mode of Application: Can be used as a surface spray, crack, and crevice spray, for cold or hot fogging, and targeted applications.



SAFETY EQUIPMENT:

Packing: 500ml | 1 | 5 | 10 | 20 **Liter**

CRYSTAL ZC

ACTIVE INGREDIENTS: Thiamethoxam: 11.6% (w/w) - Lambda-cyhalothrin: 3.5% (w/w)

TARGET PEST:

CRYSTAL ZC: An insecticide with iDAP technology is an advanced generation, provent product with a unique and proprietary ZC formulation that offers outstanding residual control of a broad range of crawling and flying insects.

CRYSTAL ZC: It can control of more than 30 pests, including mosquitoes, ticks, fleas ants and cockroaches.

WHERE TO USE: Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, Dairies and Livestock, Municipal buildings, Refuse tips, Warehouses and Raw material stores

MODE OF APPLICATION: Can be used as a surface spray, crack, and crevice spray, for cold or hot fogging, and targeted applications.

SAFETY EQUIPMENT:





Packing: 500ml | 1 | 5 | 10 | 20 **Liter**

CYPERMFOX 10 EW

ACTIVE INGREDIENTS: Cypermethrin 10% EW

TARGET PEST: For use against flying insects such as flies, mosquitoes and other small flying insects Can also be used against crawling insects such as ants, bedbugs, cockroaches, fleas.

USE: Is an insecticide for public health use that kills insects by contact, ingestion, and fumigation. It works for public health insects as well as storage insects.

WHERE TO USE: Domestic Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, Cattle stables, Municipal buildings, Refuse tips, Warehouses and Raw material stores.

MODE OF APPLICATION: Can be used as a surface spray, crack and crevice spray, for cold or hot fogging, and targeted applications.

SAFETY EQUIPMENT:





Packing: 500ml | 1 | 5 | 10 | 20 **Liter**

AQUAPARK 25 WP

ACTIVE INGREDIENTS: Imidacloprid:25% (w/w)

TARGET PEST: This insecticide is employed to manage insects and pests including: Mosquitoes, Ticks, Flies (such as houseflies and sandflies), Bedbugs, Fleas, Cockroaches, Lice, Triatomine bugs, Tsetse flies, Chigger mites, moths

USE: For household insects, apply 30 to 45 grams per liter of water. apply at the rate of 5 litres mixture per 100 m2.

WHERE TO USE: Domestic Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, Cattle stables, Municipal buildings, Refuse tips, Warehouses and Raw material stores.



SAFETY EQUIPMENT:

Packing: 100 g

PARKERS PHARMA LIMITED

AQUAPARK 30 WP

ACTIVE INGREDIENTS: Imidacloprid:30% (w/w)

TARGET PEST: This insecticide is employed to manage insects and pests including: Mosquitoes, Ticks, Flies (such as houseflies and sandflies), Bedbugs, Fleas, Cockroaches, Lice, Triatomine bugs, Tsetse flies, Chigger mites, moths

USE: For household insects, apply 25 to 40 grams per liter of water. apply at the rate of 5 litres mixture per 100 m2.

WHERE TO USE: Domestic Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, Cattle stables, Municipal buildings, Refuse tips, Warehouses and Raw material stores.



SAFETY EQUIPMENT:

Packing: 100 g

AQUAPARK 70 WP

ACTIVE INGREDIENTS: Imidacloprid:70% (w/w)

TARGET PEST: This insecticide is employed to manage insects and pests including: Mosquitoes, Ticks, Flies (such as houseflies and sandflies), Bedbugs, Fleas, Cockroaches, Lice, Triatomine bugs, Tsetse flies, Chigger mites, moths

USE: For household insects, apply 10 to 15 grams per liter of water. apply at the rate of 5 litres mixture per 100 m2.

WHERE TO USE: Domestic Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, Cattle stables, Municipal buildings, Refuse tips, Warehouses and Raw material stores.



SAFETY EQUIPMENT:

Packing: 100 g

COSMO 10 WP

ACTIVE INGREDIENTS: Lambda-Cyhalothrin: 10% (w/w)

TARGET PEST: Mosquito, House Fly, Coackroaches

USE: Dosage Recommended Application Rates:

Interior Residual Spray: 1. Adult Vector Mosquito - 12.5 gm/Ltr

2. House Fly, Coackroaches - 5 gm/Ltr

- Exterior: 1. Adult Vector Mosquito - 12.5 gm/Ltr

  2. House Fly, Coackroaches - 5 gm/Ltr

Pack Size: 62.5 gm

Mode of Action:

Cosmo10 WP has strong contact and stomach action and has repellent properties.

Cosmo10 WP gives rapid knockdown of pests that come in contact with the treated surface.

Cosmo10 WP disrupts the normal functioning of the nervous system in insects and causes paralysis or death.



SAFETY EQUIPMENT:

Packing: 100 g

COMET 30 WP

ACTIVE INGREDIENTS: Cypermethrin: 30% (w/w)

TARGET PEST: is an insecticidal product used to control most flying and crawling insect pests in public health environments. Therefore, the product can be used in and around food markets, dairies, farms, hospitals, swimming pools, and public buildings; and at the recommended dosage rates, it is highly effective; with a rapid knockdown and a prolonged killing effect over several months.

USE: Comet 30 WP will effectively control ants, bedbugs, beetles, cockroaches, crickets, earwigs, fleas, flies, flour beetles, mosquitoes, silverfish, wasps, and weevils.

Directions for Use: When diluting the powder, mix the product with clean water only. Always add the powder to the water, then mix by stirring. Do not mix the product with oil. Before use wash out sprayers containing oil residues thoroughly.



SAFETY EQUIPMENT:

Packing: 100 g

COMET 40 WP

ACTIVE INGREDIENTS: Cypermethrin: 40% (w/w)

TARGET PEST: is an insecticidal product used to control most flying and crawling insect pests in public health environments. Therefore, the product can be used in and around food markets, dairies, farms, hospitals, swimming pools, and public buildings; and at the recommended dosage rates, it is highly effective; with a rapid knockdown and a prolonged killing effect over several months.

USE: Comet 30 WP will effectively control ants, bedbugs, beetles, cockroaches, crickets, earwigs, fleas, flies, flour beetles, mosquitoes, silverfish, wasps, and weevils.

Directions for Use: When diluting the powder, mix the product with clean water only. Always add the powder to the water, then mix by stirring. Do not mix the product with oil. Before use wash out sprayers containing oil residues thoroughly.

SAFETY EQUIPMENT:





Packing: 100 g

STARGEM 10 WP

ACTIVE INGREDIENTS: Imidacloprid:10% (w/w)

TARGET PEST: This insecticide is employed to manage insects and pests including: Mosquitoes, Ticks, Flies (such as houseflies and sandflies), Bedbugs, Fleas, Cockroaches, Lice, Triatomine bugs, Tsetse flies, Chigger mites, moths

USE: For household insects, apply 75 to 100 grams per liter of water. apply at the rate of 5 litres mixture per 100 m2.

Directions for Use: Domestic Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, Cattle stables, Municipal buildings, Refuse tips, Warehouses and Raw material stores.



SAFETY EQUIPMENT:

Packing: 100 g

PARKERS PHARMA LIMITED

ODYSA DP


ACTIVE INGREDIENTS: Dinotefuran 0.8% DP

TARGET PEST: To control wide range of insect pests such as ants, spiders, fleas, cockroaches, flies, mosquitos, pantry pests, and plenty of other labeled insects.

USE: Odysa is an insecticide of the neonicotinoid class developed to control flying and crawling insects in residential and commercial buildings, and for professional turf management.

WHERE TO USE: Domestic Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, Cattle stables, Municipal buildings, Refuse tips, Warehouses and Raw material stores.

MODE OF APPLICATION: Ready-to-use directly



SAFETY EQUIPMENT:

Packing: 1Kg

SPINOMAX XRT

ACTIVE INGREDIENTS: Spinosad6.25%

TARGET PEST: Mosquito Larvae

USE: A Controlled Release Spinosad for Control of Mosquito Larvae. Insecticide provides an effective means for preventing the emergence of adult mosquitoes from small water bodies by preventing the development of aquatic.

WHERE TO USE: Water drums, puddles, gutters, pit latrines, blocked drains, construction sites and other standing water around the village or in urban environments, waterholes rubbish dumps and other situations where water can collect, and swampy areas.



SAFETY EQUIPMENT:

Packing: 20 Kg

BACTIBAC-G BIOLOGICAL LARVICIDE

ACTIVE INGREDIENTS: Bacillusthuringiensis, subspeciesisraelensis, strain AM65-52,fermentationsolids,spores, andinsecticidaltoxins - 2.80%

TARGET PEST: Mosquito Larvae

USE: MOSQUITO CONTROL BACTIBAC® G is a selective microbial insecticide for use against mosquito larvae in a variety of habitats. BACTIBAC G can be applied to areas that contain fish, other aquatic life, and plants. BACTIBAC G can be applied to areas used by or in contact with humans, pets, horses, livestock, birds, or wildlife.

WHERE TO USE: BACTIBAC G can be applied to areas that contain fish, other aquatic life, and plants. BACTIBAC G can be applied to areas used by or in contact with humans, pets, horses, livestock, birds, or wildlife.

SAFETY EQUIPMENT:





Packing: 18.1 Kg

BACTIBAC-WDG BIOLOGICAL LARVICIDE

ACTIVE INGREDIENTS: Bacillusthuringiensis,subsp. israelensis, strain AM 65-52fer-mentationsolids,spores,and insecticidal toxins - 37.4%

TARGET PEST: Mosquito Larvae

USE: MOSQUITO CONTROL BATIBAC® WDG is a selective microbial insecticide for use against mosquito larvae in a variety of habitats. BACTIBAC WDG can be applied to areas that contain fish, other aquatic life, and plants. BACTIBAC WDG can be applied to areas used by or in contact with humans, pets, horses, livestock, birds, or wildlife.

WHERE TO USE: BACTIBAC WDG may be applied using conventional ground or aerial application equipment with quantities of water sufficient to provide uniform coverage of the target area. For application, first add BACTIBAC WDG to water to produce a final spray mixture.



SAFETY EQUIPMENT:



Packing: 18.1 Kg

BACTIBAC-FG BIOLOGICAL LARVICIDE

ACTIVE INGREDIENTS: Bacillus thuringiensisStrainAM 65-52 - 37.4%
Bacillus sphaericusStrainABTS 1743 - 2.7%

TARGET PEST: Mosquito Larvae

USE: For use only by federal, state, tribal or local government officials responsible for public health or vector control, or by persons certified in the appropriate category or otherwise authorized by the state or tribal lead pesticide regulatory agency to perform mosquito control applications, or by persons under their direct supervision.

WHERE TO USE: BACTIBAC® FG Biological Larvicide Fine Granule (hereafter referred to as BACTIBAC FG) is a selective microbial insecticide for use against mosquito larvae in a variety of habitats. BACTIBAC FG can be applied to areas that contain fish, other aquatic life, and plants. BACTIBAC FG can be applied to areas used by or in contact with humans, pets, horses, livestock, birds, or wildlife.

SAFETY EQUIPMENT:



Packing: 18.1 Kg

BACTIBAC 12 AS BIOLOGICAL LARVICIDE

ACTIVE INGREDIENTS: Bacillusthuringiensis, subsp. israelensis,strainAM65-52,fermentationsolidsand solubles - 11.61%

TARGET PEST: Mosquito Larvae

USE: Water drums, puddles, gutters, pit latrines, blocked drains, construction sites and other standing water around the village or in urban environments, waterholes rubbish dumps and other situations where water can collect, and swampy areas.

WHERE TO USE: BACTIBAC 12 AS may be applied in conventional ground or aerial application equipment with quantities of water sufficient to provide uniform coverage of the target area. The amount of water will depend on weather, spray equipment, and mosquito habitat characteristics. Do not mix more BACTIBAC 12 AS than can be used in a 72-hour period.

SAFETY EQUIPMENT:





Packing: 18.1 Kg

BACTIBAC-DT BIOLOGICAL LARVICIDE

ACTIVE INGREDIENTS: Bacillusthuringiensis,subsp.israelensis,strainAM 65-52, fermentationsolids,sporesandinsecticidaltoxins - 37.4%

TARGET PEST: Mosquito Larvae

USE: BACTIBAC DT is intended for residential use. For use in artificial containers used for water collection to control container mosquitoes (e.g. Aedes aegypti, Aedes albopictus). Artificial water containers may include drums, storage tanks, jars, rooftop catchments, ornamental fish ponds, ornamental pools or fountains, unused swimming pools, floor drains, and roof gutters. Do not apply directly to treated, finished water supply systems, as these systems are not considered mosquito breeding sites.

WHERE TO USE: A single tablet can be applied to dry containers or containers holding water volumes of ≤ 50 L (13 gallons). Retreat at label rates as required when pupae appear.

SAFETY EQUIPMENT:





Packing: 100g/500g/1kg/20kg

PAINTOCIDE CS

ACTIVE INGREDIENTS: Alphacypermethrin 1%, + Pyriproxyfen 1%, Geraniol 0.1%

TARGET PEST: mosquitoes, flies, cockroaches, bedbugs, fleas, ticks, spiders, scorpions, ants, mites, and many others.

USE: PAINTOCIDE CS (Interior) Paint is a water-based paint that can be used on all indoor surfaces For home and commercial purposes.

WHERE TO USE: In and around buildings and sewers in urban and agricultural buildings.

MODE OF APPLICATION: • Stir well before use. • Wear protective clothing, gloves, goggles, and a mask when handling the product. • It is mandatory to clean the ready to paint surfaces from all dirt and dust prior to application. • Apply Paintocide paint with a brush, roller, manual sprayer, or airless sprayer depending on the surface. • When applying the paint, do not eat, drink, or smoke. • Wash hands and exposed skin areas with plenty of water and soap after application. • Paintocide CS Interior Paint dries to touch in 1 hour at 25°C and 50% humidity. Longer drying time is required in cooler temperatures and higher humidity. • Do not apply at temperatures below 5°C or on surfaces exposed to strong sunlight. • Ventilate painted area thoroughly for 48/24 hours before re-entry.



SAFETY EQUIPMENT:



Packing: 1 | 4 | 10 **liter**

ENIGMA Broad-spectrum fumigant insecticide

ACTIVE INGREDIENTS: Permethrin (CASNo52645-53-1) - 13.25g

Enigma serves as an effective fumigant insecticide, particularly well-suited for controlling pests in areas where traditional spray treatments are challenging to execute. The unique formulation comprises a special blend that undergoes slow combustion, generating a dense white smoke devoid of flames. This smoke consists of ultra-fine particles of the active ingredient, leading to a dual-action process. It swiftly eliminates flying insects and penetrates into crevices where crawling insects often take refuge, compelling them out and swiftly incapacitating them. Enigma demonstrates efficacy in managing both crawling and flying insects, making it a suitable solution against various pests like flies, mosquitoes, wasps, moths, fleas, bed bugs, cockroaches, ants, as well as common warehouse insects such as grain beetle and thee Wheat weevil.

Application Areas: Enigma proves its effectiveness against a wide array of insects that frequently infest diverse settings such as homes, commercial buildings, industrial facilities, and livestock environments. It can be safely employed in spaces like residential dwellings, attics, food processing plants (when no food or feed is present), milking parlors, warehouses, schools, hospitals, cinemas, public transportation, retail establishments, military installations, hotels, eateries, and even in non-food-serving canteens. Additionally, its range extends to tourist destinations, coastal resorts, rural landscapes, stables, animal shelters, and agricultural farms.



Packing: 100 g

PARKERS
PHARMA LIMITED

PARKERS PHARMA LIMITED



United Kingdom (headquarter) GB
Parkers Pharma Limited United Kingdom
Address:
41b Brunswick Street, Manchester , United Kingdom
Phone number: 00441615117852
Email: info@parkers-pharma.com

Parkers Pharma Germany



Address 1: Sebastian-Bach-Straße 19
04109 Leipzig , Germany,
Phone number: 004915751760228
Email: eu@parkers-pharma.com

Address 2:
Riebeckstraße 48, Leipzig,04317 Germany
Phone number: 00491743879895
Email: eu@parkers-pharma.com

Parkers Pharma Limited (Spain)

PARKERS PHARMA IBERIA, SOCIEDAD LIMITADA
Address: CIF number B56245269
CALLE NICOLAS DE BUSSI, 39, Puerta 72,
PERLA DEL MAR,
03189, TORREVIEJA, ALICANTE, COMUNIDAD VALENCIANA, ESPAÑA

Parkers Pharma Limited (Poland)

Address: Cietrzewia 22
71-220 Szczecin
Poland
Phone number: +486 933 210 68
Email: eu@parkers-pharma.com

Parkers Pharma Limited (Lithuania)

Address: Misko g. 30,Kaunas 44313, Lithuania
Email: eu@parkers-pharma.com

Parkers Pharma Limited (France)

PARKERS PHARMA SAS
Address: 160, rue François 1er - 75008 Paris
France

(Middle East and North Africa) Kingdom of Saudi Arabia

Parkers Pharma Limited Saudi Arabia
Address: Jeddah 21422 P.O. Box 5323 Saudi Arabia
Phone number: 00966553044185
Email: account@parkers-pharma.com

United Arab Emirates

Address: P.O. Box: 53739 Abu Dhabi UAE
Phone number: 00971 50 289 2365
Email: account@parkers-pharma.com

Parkers Pharma Asia Philippines:

Address: Lot 6 Block 3 Carmenville Subdvision
Tayabas City, Quezon, Philippines
Phone number: +639 392 963 525
Email: customercare@parkers-pharma.com

Hongkong, China:

Address: Suite C, Level 7, World Trust Tower. 50
Stanley Street, Central,Hong Kong
Email: china@parkers-pharma.com

Parkers Pharma Syria

Address: Near the local council , West district
Salamiyah, Hama , Syria
Email: Marketing@parkers-pharma.com

Your Partner
in Pest Control